

## Author Index

- Agashe, C., see Pethkar, S. 31 (1993) 109
- Agrawal, A., J.P. Cronin and R. Zhang, Review of solid state electrochromic coatings produced using sol-gel techniques 31 (1993) 9
- Al-Kaisi, M.M., see Al-Rawi, N.A. 31 (1994) 455
- Al-Kaisi, M.M., see Al-Rawi, N.A. 31 (1994) 469
- Al-Rawi, N.A., M.M. Al-Kaisi and D. Asfer, Reliability of photovoltaic modules I. Theoretical considerations 31 (1994) 455
- Al-Rawi, N.A., M.M. Al-Kaisi and D.J. Asfer, Reliability of photovoltaic modules II. Interconnection and bypass diodes effects 31 (1994) 469
- Alonso-Vante, N., Spectral sensitization of titanium dioxide electrodes via Ru-based chalcogenides thin layers 31 (1994) 509
- Ameziane, E.L., see Debbagh, F. 31 (1993) 1
- Ameziane, E.L., see Ech-chamikh, E. 31 (1993) 187
- Ameziane, E.L., see Laaziz, Y. 31 (1993) 23
- Asfer, D., see Al-Rawi, N.A. 31 (1994) 455
- Asfer, D.J., see Al-Rawi, N.A. 31 (1994) 469
- Azizan, M., see Debbagh, F. 31 (1993) 1
- Azizan, M., see Ech-chamikh, E. 31 (1993) 187
- Ba, B., M. Kane, A. Fickou and G. Sissoko, Excess minority carrier densities and transient short circuit currents in polycrystalline silicon solar cells 31 (1993) 33
- Barlas, T.R., see Dmitruk, N.L. 31 (1993) 371
- Basiuk, E.V., see Dmitruk, N.L. 31 (1993) 371
- Bauer, R., see Königstein, C. 31 (1994) 535
- Bennouna, A., see Ech-chamikh, E. 31 (1993) 187
- Bennouna, A., see Laaziz, Y. 31 (1993) 23
- Béraud, J.-G. and D. Deroo, Some novel prospective polymer electrolytes containing potassium ion for electrochromic devices, with preliminary tests on Prussian blue/ $K_2WO_3$  electrochromic windows 31 (1993) 263
- Bergkvist, M., see Platzer, W.J. 31 (1993) 243
- Bergmann, R., S. Robinson, Z. Shi and J. Kurianski, Silicon films incorporating a drift-field grown by liquid phase epitaxy for solar cell applications 31 (1993) 447
- Bhattacharyya, R., see Seth, T. 31 (1993) 215
- Bhide, V.G., see Pethkar, S. 31 (1993) 109
- Blanpain, B., see Franck, M. 31 (1993) 401
- Brunel, M., see Debbagh, F. 31 (1993) 1
- Brunel, M., see Ech-chamikh, E. 31 (1993) 187
- Calwer, H., see van den Berg, R. 31 (1993) 253
- Campbell, P., S.R. Wenham and M.A. Green, Light trapping and reflection control in solar cells using tilted crystallographic surface textures 31 (1993) 133
- Cárabe, J., J.J. Gandía and M.T. Gutiérrez, PECVD deposition of device-quality intrinsic amorphous silicon at high growth rate 31 (1993) 317

- Celis, J.P., see Franck, M. 31 (1993) 401  
 Cronin, J.P., see Agrawal, A. 31 (1993) 9
- Dalal, V., R. Knox and B. Moradi, Measurement of Urbach edge and midgap states in amorphous silicon p-i-n devices 31 (1993) 349  
 Danesh, P., see Toneva, A. 31 (1993) 301
- Debbagh, F., H. Mohssine, E.L. Ameziane, M. Azizan and M. Brunel, Physical and chemical analysis of RF sputtered Cu/Te/CdTe structures 31 (1993) 1  
 Deroo, D., see Béraud, J.-G. 31 (1993) 263  
 De Vos, A., The endoreversible theory of solar energy conversion: a tutorial 31 (1993) 75  
 Didriksson, B., see Hagfeldt, A. 31 (1994) 481
- Di Giulio, M., D. Manno, G. Micocci, R. Rella, P. Siciliano and A. Tepore, Growth and characterization of tin oxide thin films prepared by reactive sputtering 31 (1993) 235
- Dimova-Malinovska, D. and L. Nedialkova, Influence of Ge content on vibrational and optical properties of  $\alpha$ -Si<sub>1-x</sub>Ge<sub>x</sub>:H thin films 31 (1993) 283  
 Dixit, P.N., see Seth, T. 31 (1993) 215
- Dmitruk, N.L., T.R. Barlas and E.V. Basiuk, Preparation, morphology and physical properties of microrelief InP surfaces 31 (1993) 371
- Ebong, A.U., M. Taouk and S.R. Wenham, A low cost metallization scheme for double sided buried contact silicon solar cells 31 (1994) 499
- Ech-chamikh, E., M. Azizan, E.L. Ameziane, A. Bennouna, M. Brunel and T.T.A. Nguyen, Structural and chemical analysis of C:H<sub>2</sub>O/Si:H<sub>2</sub>O multilayers deposited by reactive RF sputtering 31 (1993) 187  
 Eck, W., see Wilson, H.R. 31 (1993) 197
- Einarsrud, M.-A., S. Hæreid and V. Wittwer, Some thermal and optical properties of a new transparent silica xerogel material with low density 31 (1993) 341
- Fickou, A., see Ba, B. 31 (1993) 33  
 Fort, A.F., see Varkey, A.J. 31 (1993) 277
- Franck, M., B. Blanpain, B.C. Oberländer, J.P. Celis and J.R. Roos, Surface modification of TiN hard coatings with concentrated solar energy 31 (1993) 401
- Galluzzi, F., G. Guattari, G. Leo and R. Vincenzoni, Light-induced defect kinetics in a-Si:H photovoltaic cells according to a non-dispersive carrier recombination model 31 (1994) 525
- Ganchev, M.G. and K.D. Kochev, Investigation of the electrodeposition process in the Cu-In-Se system 31 (1993) 163  
 Gandía, J.J., see Cárabe, J. 31 (1993) 317
- Göttsche, J., A. Hinsch and V. Wittwer, Electrochromic mixed WO<sub>3</sub>-TiO<sub>2</sub> thin films produced by sputtering and the sol-gel technique: a comparison 31 (1993) 415  
 Grabec, I., see Štangar, U.L. 31 (1993) 171  
 Green, M.A., see Campbell, P. 31 (1993) 133  
 Green, M.A., see Shi, Z. 31 (1993) 51
- Gruszecki, T. and B. Holmström, Preparation of thin films of polycrystalline CdSe for solar energy conversion. I. A literature survey 31 (1993) 227  
 Guattari, G., see Galluzzi, F. 31 (1994) 525  
 Gutiérrez, M.T., see Cárabe, J. 31 (1993) 317  
 Gutiérrez, M.T., see Martínez, M.A. 31 (1994) 489
- Hæreid, S., see Einarsrud, M.-A. 31 (1993) 341
- Hagfeldt, A., B. Didriksson, T. Palmqvist, H. Lindström, S. Södergren, H. Rensmo and S.-E. Lindquist, Verification of high efficiencies for the Grätzel-cell. A 7% efficient solar cell based on dye-sensitized colloidal TiO<sub>2</sub> films 31 (1994) 481

- Hamakawa, Y., see Xu, Z. 31 (1993) 307
- Herrero, J., see Martínez, M.A. 31 (1994) 489
- Hinsch, A., see Göttische, J. 31 (1993) 415
- Holmström, B., see Gruszecki, T. 31 (1993) 227
- Hosokawa, H., see Nishiwaki, H. 31 (1993) 97
- Hussain, K., see Naseem, S. 31 (1993) 155
- Ingel, G., see Sasse, Ch. 31 (1993) 61
- Iqbal, M., see Naseem, S. 31 (1993) 155
- Kafader, U., see Sutter, P. 31 (1994) 541
- Kalcher, K., see Štanger, U.L. 31 (1993) 171
- Kane, M., see Ba, B. 31 (1993) 33
- Kiyama, S., see Nishiwaki, H. 31 (1993) 97
- Knox, R., see Dalal, V. 31 (1993) 349
- Kochev, K., see Tsvetkova, K. 31 (1993) 429
- Kochev, K.D., see Ganchev, M.G. 31 (1993) 163
- Königstein, C. and R. Bauer, Charge separation in J-aggregates of covalently linked cyanine dye-viologen systems 31 (1994) 535
- Kurianski, J., see Bergmann, R. 31 (1993) 447
- Kuznicki, Z.T., Some aspects of the multi-interface structure for BSF solar cells 31 (1993) 383
- Laaziz, Y., A. Bennouna and E.L. Ameziane, The effect of annealing on the optical and electrical properties of a-Si:H sputtered films 31 (1993) 23
- Leo, G., see Galluzzi, F. 31 (1994) 525
- Lindquist, S.-E., see Hagfeldt, A. 31 (1994) 481
- Lindström, H., see Hagfeldt, A. 31 (1994) 481
- Manno, D., see Di Giulio, M. 31 (1993) 235
- Marklstorfer, P., see van den Berg, R. 31 (1993) 253
- Martínez, M.A., J. Herrero and M.T. Gutiérrez, Properties of RF sputtered zinc oxide based thin films made from different targets 31 (1994) 489
- Matsumi, S., see Nishiwaki, H. 31 (1993) 97
- Meckes, R., see van den Berg, R. 31 (1993) 253
- Micocci, G., see Di Giulio, M. 31 (1993) 235
- Minkov, D., Influence of the light interaction on the optical behaviour of a-Si:H solar cells 31 (1993) 323
- Mohssine, H., see Debbagh, F. 31 (1993) 1
- Moradi, B., see Dalal, V. 31 (1993) 349
- Muhopadhyay, K., B. Sensarma and H. Saha, Solar PV lanterns with centralized charging system – a new concept for rural lighting in the developing nations 31 (1993) 437
- Nagai, J., Characterization of evaporated nickel oxide and its application to electrochromic glazing 31 (1993) 291
- Nakano, S., see Nishiwaki, H. 31 (1993) 97
- Naseem, S., M. Iqbal and K. Hussain, Optoelectrical and structural properties of evaporated indium oxide thin films 31 (1993) 155
- Nedialkova, L., see Dimova-Malinovska, D. 31 (1993) 283
- Nguyen, T.T.A., see Ech-chamikh, E. 31 (1993) 187
- Nishiwaki, H., S. Sakai, S. Matsumi, S. Tsuda, S. Kiyama, Y. Yamamoto, H. Hosokawa, R. Suzuki, M. Osumi, M. Ohnishi and S. Nakano, Through-Hole Contact (THC) integrated-type a-Si solar cell submodule by a new laser photo-etching method 31 (1993) 97

- Oberländer, B.C., see Franck, M. 31 (1993) 401  
 Ogorevc, B., see Štangar, U.L. 31 (1993) 171  
 Ohnishi, M., see Nishiwaki, H. 31 (1993) 97  
 Orel, B., see Štangar, U.L. 31 (1993) 171  
 Osumi, M., see Nishiwaki, H. 31 (1993) 97
- Palmqvist, T., see Hagfeldt, A. 31 (1994) 481  
 Pantchev, Bl., see Toneva, A. 31 (1993) 301  
 Panwar, O.S., see Seth, T. 31 (1993) 215
- Pethkar, S., M.G. Takwale, C. Agashe and V.G. Bhide, Cobalt oxide selective coatings for all glass evacuated collectors 31 (1993) 109  
 Platzer, W.J. and M. Bergkvist, Bulk and surface light scattering from transparent silica aerogel 31 (1993) 243
- Rella, R., see Di Giulio, M. 31 (1993) 235  
 Rensmo, H., see Hagfeldt, A. 31 (1994) 481  
 Robinson, S., see Bergmann, R. 31 (1993) 447  
 Rodriguez, J.A., see Rumyantsev, V.D. 31 (1993) 357  
 Roos, J.R., see Franck, M. 31 (1993) 401  
 Rumyantsev, V.D. and J.A. Rodriguez, Luminescent characterization of contact-less AlGaAs/GaAs heterostructure for solar cells and diodes 31 (1993) 357
- Saha, H., see Muhopadhyay, K. 31 (1993) 437  
 Sakai, S., see Nishiwaki, H. 31 (1993) 97
- Sasse, Ch. and G. Ingel, The role of the optical properties of solids in solar direct absorption process 31 (1993) 61  
 Schulze, F.W., see van den Berg, R. 31 (1993) 253  
 Sensarma, B., see Muhopadhyay, K. 31 (1993) 437
- Seth, T., P.N. Dixit, O.S. Panwar and R. Bhattacharyya, Effect of power and pressure on the properties of hydrogenated amorphous silicon films prepared by DC glow discharge 31 (1993) 215
- Shi, Z., T.L. Young, G.F. Zheng and M.A. Green, Investigation of polycrystalline silicon deposition on glass substrates 31 (1993) 51  
 Shi, Z., see Bergmann, R. 31 (1993) 447  
 Siciliano, P., see Di Giulio, M. 31 (1993) 235  
 Singh, J., see Zhu, F. 31 (1993) 119  
 Sissoko, G., see Ba, B. 31 (1993) 33  
 Södergren, S., see Hagfeldt, A. 31 (1994) 481
- Štangar, U.L., B. Orel, I. Grabec, B. Ogorevc and K. Kalcher, Optical and electrochemical properties of  $\text{CeO}_2$  and  $\text{CeO}_2\text{-TiO}_2$  coatings 31 (1993) 171  
 Sutter, P., U. Kafader and H. von Känel, Thin film photodetectors grown epitaxially on silicon 31 (1994) 541  
 Suzuki, R., see Nishiwaki, H. 31 (1993) 97
- Takwale, M.G., see Pethkar, S. 31 (1993) 109  
 Taouk, M., see Ebong, A.U. 31 (1994) 499  
 Tepore, A., see Di Giulio, M. 31 (1993) 235
- Toneva, A., Bl. Pantchev and P. Danesh, a-Si:H thin film microstructure influenced by HOMOCVD-process parameters 31 (1993) 301
- Tributsch, H., Transition-metal-centered photoinduced electron transfer: A key to photoelectrochemical stability and reactivity 31 (1994) 548  
 Tsuda, S., see Nishiwaki, H. 31 (1993) 97  
 Tsvetkova, K. and K. Kochev, Photoelectrochemical parameters of In-doped thin CdSe layers 31 (1993) 429

- Ufert, K.-D., see van den Berg, R. 31 (1993) 253
- van den Berg, R., H. Calwer, P. Marklstorfer, R. Meckes, F.W. Schulze, K.-D. Ufert and H. Vogt, 7% stable efficiency large area a-Si:H solar modules by module design improvement 31 (1993) 253
- Varkey, A.J. and A.F. Fort, A chemical method for preparation of cobalt oxide thin films 31 (1993) 277
- Vincenzoni, R., see Galluzzi, F. 31 (1994) 525
- Vogt, H., see van den Berg, R. 31 (1993) 253
- von Känel, H., see Sutter, P. 31 (1994) 541
- Wang, C., see Xu, Z. 31 (1993) 307
- Wenham, S.R., see Campbell, P. 31 (1993) 133
- Wenham, S.R., see Ebong, A.U. 31 (1994) 499
- Wilson, H.R. and W. Eck, Transmission variation using scattering/transparent switching films 31 (1993) 197
- Wittwer, V., see Einarsrud, M.-A. 31 (1993) 341
- Wittwer, V., see Göttsche, J. 31 (1993) 415
- Xu, Z., X. Zou, X. Zhou, B. Zhao, C. Wang and Y. Hamakawa, The optimum design for high efficiency a-Si/a-Si/a-SiGe tandem solar cells 31 (1993) 307
- Yamamoto, Y., see Nishiwaki, H. 31 (1993) 97
- Young, T.L., see Shi, Z. 31 (1993) 51
- Zhang, R., see Agrawal, A. 31 (1993) 9
- Zhao, B., see Xu, Z. 31 (1993) 307
- Zheng, G.F., see Shi, Z. 31 (1993) 51
- Zhou, X., see Xu, Z. 31 (1993) 307
- Zhu, F. and J. Singh, On the optical design of thin film amorphous silicon solar cells 31 (1993) 119
- Zou, X., see Xu, Z. 31 (1993) 307



## Subject index

### *Aerogel: SiO<sub>2</sub>*

- Bulk and surface light scattering from transparent silica aerogel, W.J. Platzer and M. Bergkvist 31 (1993) 243
- Some thermal and optical properties of a new transparent silica xerogel material with low density, M.-A. Einarsrud, S. Hæreid and V. Wittwer 31 (1993) 341

### *Aluminium*

- Silicon films incorporating a drift-field grown by liquid phase epitaxy for solar cell applications, R. Bergmann, S. Robinson, Z. Shi and J. Kurianski 31 (1993) 447

### *Amorphous silicon, hydrogenated amorphous Si, general material properties*

- On the optical design of thin film amorphous silicon solar cells, F. Zhu and J. Singh 31 (1993) 119
- Effect of power and pressure on the properties of hydrogenated amorphous silicon films prepared by DC glow discharge, T. Seth, P.N. Dixit, O.S. Panwar and R. Bhattacharyya 31 (1993) 215
- a-Si:H thin film microstructure influenced by HOMOCVD-process parameters, A. Toneva, Bl. Pantchev and P. Danesh 31 (1993) 301
- PECVD deposition of device-quality intrinsic amorphous silicon at high growth rate, J. Cárabe, J.J. Gandía and M.T. Gutiérrez 31 (1993) 317

### *Amorphous silicon, hydrogenated amorphous Si, general solar cell properties and device physics*

- Through-Hole Contact (THC) integrated-type a-Si solar cell submodule by a new laser photo-etching method, H. Nishiwaki, S. Sakai, S. Matsumi, S. Tsuda, S. Kiyama, Y. Yamamoto, H. Hosokawa, R. Suzuki, M. Osumi, M. Ohnishi and S. Nakano 31 (1993) 97
- On the optical design of thin film amorphous silicon solar cells, F. Zhu and J. Singh 31 (1993) 119
- Effect of power and pressure on the properties of hydrogenated amorphous silicon films prepared by DC glow discharge, T. Seth, P.N. Dixit, O.S. Panwar and R. Bhattacharyya 31 (1993) 215
- 7% stable efficiency large area a-Si:H solar modules by module design improvement, R. van den Berg, H. Calwer, P. Marklstorfer, R. Meckes, F.W. Schulze, K.-D. Ufert and H. Vogt 31 (1993) 253
- The optimum design for high efficiency a-Si/a-Si/a-SiGe tandem solar cells, Z. Xu, X. Zou, X. Zhou, B. Zhao, C. Wang and Y. Hamakawa 31 (1993) 307

- Influence of the light interaction on the optical behaviour of a-Si:H solar cells, D. Minkov 31 (1993) 323
- Light-induced defect kinetics in a-Si:H photovoltaic cells according to a non-dispersive carrier recombination model, F. Galluzzi, G. Guattari, G. Leo and R. Vincenzoni 31 (1994) 525

*Amorphous silicon, hydrogenated amorphous Si, optical studies in stability*

- The effect of annealing on the optical and electrical properties of a-Si:H sputtered films, Y. Laaziz, A. Bennouna and E.L. Ameziane 31 (1993) 23
- On the optical design of thin film amorphous silicon solar cells, F. Zhu and J. Singh 31 (1993) 119
- Measurement of Urbach edge and midgap states in amorphous silicon p-i-n devices, V. Dalal, R. Knox and B. Moradi 31 (1993) 349
- Light-induced defect kinetics in a-Si:H photovoltaic cells according to a non-dispersive carrier recombination model, F. Galluzzi, G. Guattari, G. Leo and R. Vincenzoni 31 (1994) 525

*Amorphous silicon, hydrogenated amorphous Si alloys: Cl, O, etc.*

- Structural and chemical analysis of C:H<sub>2</sub>O/Si:H<sub>2</sub>O multilayers deposited by reactive RF sputtering, E. Ech-chamikh, M. Azizan, E.L. Ameziane, A. Bennouna, M. Brunel and T.T.A. Nguyen 31 (1993) 187

*Antireflection coatings*

- Influence of the light interaction on the optical behaviour of a-Si:H solar cells, D. Minkov 31 (1993) 323

*Cadmium selenide, CdSe*

- Preparation of thin films of polycrystalline CdSe for solar energy conversion. I. A literature survey, T. Gruszecki and B. Holmström 31 (1993) 227
- Photoelectrochemical parameters of In-doped thin CdSe layers, K. Tsvetkova and K. Kochev 31 (1993) 429

*Cadmium telluride, CdTe*

- Physical and chemical analysis of RF sputtered Cu/Te/CdTe structures, F. Debbagh, H. Mohssine, E.L. Ameziane, M. Azizan and M. Brunel 31 (1993) 1

*Carrier Lifetime*

- Excess minority carrier densities and transient short circuit currents in polycrystalline silicon solar cells, B. Ba, M. Kane, A. Fickou and G. Sissoko 31 (1993) 33

*Catalysis*

- Transition-metal-centered photoinduced electron transfer: A key to photoelectrochemical stability and reactivity, H. Tributsch 31 (1994) 548



*Chalcogenide compounds*

- Spectral sensitization of titanium dioxide electrodes via Ru-based chalcogenides thin layers, N. Alonso-Vante 31 (1994) 509

*Chemical vapour deposition*

- a-Si:H thin film microstructure influenced by HOMOCVD-process parameters, A. Toneva, Bl. Pantchev and P. Danesh 31 (1993) 301

*Coating techniques*

- Review of solid state electrochromic coatings produced using sol-gel techniques, A. Agrawal, J.P. Cronin and R. Zhang 31 (1993) 9  
 A chemical method for preparation of cobalt oxide thin films, A.J. Varkey and A.F. Fort 31 (1993) 277  
 Electrochromic mixed  $\text{WO}_3\text{-TiO}_2$  thin films produced by sputtering and the sol-gel technique: a comparison, J. Götttsche, A. Hinsch and V. Wittwer 31 (1993) 415

*Cobalt oxides and sulfides,  $\text{CoO}$ ,  $\text{Co}_3\text{O}_4$ ,  $\text{CoS}$* 

- Cobalt oxide selective coatings for all glass evacuated collectors, S. Pethkar, M.G. Takwale, C. Agashe and V.G. Bhide 31 (1993) 109  
 A chemical method for preparation of cobalt oxide thin films, A.J. Varkey and A.F. Fort 31 (1993) 277

*Concentrated solar radiation*

- The role of the optical properties of solids in solar direct absorption process, Ch. Sasse and G. Ingel 31 (1993) 61

*Conversion efficiency*

- Through-Hole Contact (THC) integrated-type a-Si solar cell submodule by a new laser photo-etching method, H. Nishiwaki, S. Sakai, S. Matsumi, S. Tsuda, S. Kiyama, Y. Yamamoto, H. Hosokawa, R. Suzuki, M. Osumi, M. Ohnishi and S. Nakano 31 (1993) 97  
 7% stable efficiency large area a-Si:H solar modules by module design improvement, R. van den Berg, H. Calwer, P. Marklstorfer, R. Meckes, F.W. Schulze, K.-D. Ufert and H. Vogt 31 (1993) 253  
 The optimum design for high efficiency a-Si/a-Si/a-SiGe tandem solar cells, Z. Xu, X. Zou, X. Zhou, B. Zhao, C. Wang and Y. Hamakawa 31 (1993) 307

*Copper compounds*

- Physical and chemical analysis of RF sputtered Cu/Te/CdTe structures, F. Debbagh, H. Mohssine, E.L. Ameziane, M. Azizan and M. Brunel 31 (1993) 1

*Copper indium selenide,  $\text{CuInSe}_2$* 

- Investigation of the electrodeposition process in the Cu-In-Se system, M.G. Ganchev and K.D. Kochev 31 (1993) 163

*Defect electron energy states*

- Measurement of Urbach edge and midgap states in amorphous silicon p-i-n devices, V. Dalal, R. Knox and B. Moradi 31 (1993) 349

*Efficiency*

- 7% stable efficiency large area a-Si:H solar modules by module design improvement, R. van den Berg, H. Calwer, P. Marklstorfer, R. Meckes, F.W. Schulze, K.-D. Ufert and H. Vogt 31 (1993) 253
- Influence of the light interaction on the optical behaviour of a-Si:H solar cells, D. Minkov 31 (1993) 323
- Verification of high efficiencies for the Grätzel-cell. A 7% efficient solar cell based on dye-sensitized colloidal TiO<sub>2</sub> films, A. Hagfeldt, B. Didriksson, T. Palmqvist, H. Lindström, S. Södergren, H. Rensmo and S.-E. Lindquist 31 (1994) 481

*Electrical conductivity of amorphous semiconductors*

- Effect of power and pressure on the properties of hydrogenated amorphous silicon films prepared by DC glow discharge, T. Seth, P.N. Dixit, O.S. Panwar and R. Bhattacharyya 31 (1993) 215

*Electrical contacts*

- Physical and chemical analysis of RF sputtered Cu/Te/CdTe structures, F. Debagh, H. Mohssine, E.L. Ameziane, M. Azizan and M. Brunel 31 (1993) 1

*Electrical properties*

- The effect of annealing on the optical and electrical properties of a-Si:H sputtered films, Y. Laaziz, A. Bennouna and E.L. Ameziane 31 (1993) 23
- Optoelectrical and structural properties of evaporated indium oxide thin films, S. Naseem, M. Iqbal and K. Hussain 31 (1993) 155
- Growth and characterization of tin oxide thin films prepared by reactive sputtering, M. Di Giulio, D. Manno, G. Micocci, R. Rella, P. Siciliano and A. Tepore 31 (1993) 235
- A chemical method for preparation of cobalt oxide thin films, A.J. Varkey and A.F. Fort 31 (1993) 277

*Electrochemistry*

- Transition-metal-centered photoinduced electron transfer: A key to photoelectrochemical stability and reactivity, H. Tributsch 31 (1994) 548

*Electrochromism*

- Review of solid state electrochromic coatings produced using sol-gel techniques, A. Agrawal, J.P. Cronin and R. Zhang 31 (1993) 9
- Optical and electrochemical properties of CeO<sub>2</sub> and CeO<sub>2</sub>-TiO<sub>2</sub> coatings, U.L. Štangar, B. Orel, I. Grabec, B. Ogorevc and K. Kalcher 31 (1993) 171
- Some novel prospective polymer electrolytes containing potassium ion for electrochromic devices, with preliminary tests on Prussian blue/K<sub>x</sub>WO<sub>3</sub> electrochromic windows, J.-G. Béraud and D. Deroo 31 (1993) 263

- Characterization of evaporated nickel oxide and its application to electrochromic glazing, J. Nagai 31 (1993) 291
- Electrochromic mixed  $\text{WO}_3\text{-TiO}_2$  thin films produced by sputtering and the sol-gel technique: a comparison, J. Götsche, A. Hinsch and V. Wittwer 31 (1993) 415

### *Electrodeposition*

- Investigation of the electrodeposition process in the Cu-In-Se system, M.G. Ganchev and K.D. Kochev 31 (1993) 163
- Preparation of thin films of polycrystalline CdSe for solar energy conversion. I. A literature survey, T. Gruszecki and B. Holmström 31 (1993) 227

### *Electron-hole recombination*

- Light-induced defect kinetics in a-Si:H photovoltaic cells according to a non-dispersive carrier recombination model, F. Galluzzi, G. Guattari, G. Leo and R. Vincenzoni 31 (1994) 525

### *Electroplated coatings*

- Investigation of the electrodeposition process in the Cu-In-Se system, M.G. Ganchev and K.D. Kochev 31 (1993) 163

### *Energy gap*

- The effect of annealing on the optical and electrical properties of a-Si:H sputtered films, Y. Laaziz, A. Bennouna and E.L. Ameziane 31 (1993) 23

### *Fluorescent materials and photoluminescence*

- Solar PV lanterns with centralized charging system - a new concept for rural lighting in the developing nations, K. Muhopadhyay, B. Sensarma and H. Saha 31 (1993) 437
- Charge separation in J-aggregates of covalently linked cyanine dye-viologen systems, C. Königstein and R. Bauer 31 (1994) 535

### *Gallium arsenide*

- Luminescent characterization of contactless AlGaAs/GaAs heterostructure for solar cells and diodes, V.D. Rumyantsev and J.A. Rodriguez 31 (1993) 357
- Luminescent characterization of contactless AlGaAs/GaAs heterostructure for solar cells and diodes, V.D. Rumyantsev and J.A. Rodriguez 31 (1993) 357

### *Gallium arsenide and gallium aluminium arsenide, $\text{GaAs}$ , $\text{Ga}_{1-x}\text{Al}_x\text{As}$*

- Luminescent characterization of contactless AlGaAs/GaAs heterostructure for solar cells and diodes, V.D. Rumyantsev and J.A. Rodriguez 31 (1993) 357

### *Ge-Si*

- Thin film photodetectors grown epitaxially on silicon, P. Sutter, U. Kafader and H. von Känel 31 (1994) 541

*Ge-Si alloys*

- Influence of Ge content on vibrational and optical properties of  $\alpha$ -Si<sub>1-x</sub>Ge<sub>x</sub>:H thin films, D. Dimova-Malinovska and L. Nedialkova 31 (1993) 283

*Germanium*

- Thin film photodetectors grown epitaxially on silicon, P. Sutter, U. Kafader and H. von Känel 31 (1994) 541

*Glass substrates*

- Investigation of polycrystalline silicon deposition on glass substrates, Z. Shi, T.L. Young, G.F. Zheng and M.A. Green 31 (1993) 51  
Cobalt oxide selective coatings for all glass evacuated collectors, S. Pethkar, M.G. Takwale, C. Agashe and V.G. Bhide 31 (1993) 109

*Glasses and ceramics, porous*

- Some thermal and optical properties of a new transparent silica xerogel material with low density, M.-A. Einarsrud, S. Hæreid and V. Wittwer 31 (1993) 341

*Glazings, plastics and glass*

- Transmission variation using scattering/transparent switching films, H.R. Wilson and W. Eck 31 (1993) 197  
Bulk and surface light scattering from transparent silica aerogel, W.J. Platzer and M. Bergkvist 31 (1993) 243  
Some thermal and optical properties of a new transparent silica xerogel material with low density, M.-A. Einarsrud, S. Hæreid and V. Wittwer 31 (1993) 341

*Grain boundaries and size*

- Excess minority carrier densities and transient short circuit currents in polycrystalline silicon solar cells, B. Ba, M. Kane, A. Fickou and G. Sissoko 31 (1993) 33

*Heat engines*

- The endoreversible theory of solar energy conversion: a tutorial, A. De Vos 31 (1993) 75

*Heat mirror coatings and transparent conductors*

- Optoelectrical and structural properties of evaporated indium oxide thin films, S. Naseem, M. Iqbal and K. Hussain 31 (1993) 155

*Heat transfer*

- The role of the optical properties of solids in solar direct absorption process, Ch. Sasse and G. Ingeel 31 (1993) 61

## Hydrogen

- Charge separation in J-aggregates of covalently linked cyanine dye-viologen systems, C. Königstein and R. Bauer 31 (1994) 535

## I-V characteristics

- Photoelectrochemical parameters of In-doped thin CdSe layers, K. Tsvetkova and K. Kochev 31 (1993) 429

## II-VI semiconductors

- Preparation of thin films of polycrystalline CdSe for solar energy conversion. I. A literature survey, T. Gruszecki and B. Holmström 31 (1993) 227

## Indium compounds

- Optoelectrical and structural properties of evaporated indium oxide thin films, S. Naseem, M. Iqbal and K. Hussain 31 (1993) 155

## Indium phosphide, InP

- Preparation, morphology and physical properties of microrelief InP surfaces, N.L. Dmitruk, T.R. Barlas and E.V. Basiuk 31 (1993) 371

## Indium tin oxide, $In_2O_3:Sn$

- Characterization of evaporated nickel oxide and its application to electrochromic glazing, J. Nagai 31 (1993) 291

## Interfaces

- Structural and chemical analysis of C:H<sub>2</sub>O/Si:H<sub>2</sub>O multilayers deposited by reactive RF sputtering, E. Ech-chamikh, M. Azizan, E.L. Ameziane, A. Ben-nouna, M. Brunel and T.T.A. Nguyen 31 (1993) 187
- The optimum design for high efficiency a-Si/a-Si/a-SiGe tandem solar cells, Z. Xu, X. Zou, X. Zhou, B. Zhao, C. Wang and Y. Hamakawa 31 (1993) 307
- Some aspects of the multi-interface structure for BSF solar cells, Z.T. Kuznicki 31 (1993) 383
- Silicon films incorporating a drift-field grown by liquid phase epitaxy for solar cell applications, R. Bergmann, S. Robinson, Z. Shi and J. Kurianski 31 (1993) 447

## Light absorption

- The role of the optical properties of solids in solar direct absorption process, Ch. Sasse and G. Engel 31 (1993) 61
- Light trapping and reflection control in solar cells using tilted crystallographic surface textures, P. Campbell, S.R. Wenham and M.A. Green 31 (1993) 133
- Characterization of evaporated nickel oxide and its application to electrochromic glazing, J. Nagai 31 (1993) 291

- Charge separation in J-aggregates of covalently linked cyanine dye-viologen systems, C. Königstein and R. Bauer 31 (1994) 535

### *Light transmission*

- Optoelectrical and structural properties of evaporated indium oxide thin films, S. Naseem, M. Iqbal and K. Hussain 31 (1993) 155
- Transmission variation using scattering/transparent switching films, H.R. Wilson and W. Eck 31 (1993) 197
- Some novel prospective polymer electrolytes containing potassium ion for electrochromic devices, with preliminary tests on Prussian blue/ $K_xWO_3$  electrochromic windows, J.-G. Béraud and D. Deroo 31 (1993) 263
- Characterization of evaporated nickel oxide and its application to electrochromic glazing, J. Nagai 31 (1993) 291

### *Light trapping (concentration)*

- Light trapping and reflection control in solar cells using tilted crystallographic surface textures, P. Campbell, S.R. Wenham and M.A. Green 31 (1993) 133

### *Materials issues, general*

- Silicon films incorporating a drift-field grown by liquid phase epitaxy for solar cell applications, R. Bergmann, S. Robinson, Z. Shi and J. Kurianski 31 (1993) 447

### *Measurements, absorptance, emittance and reflectance*

- Cobalt oxide selective coatings for all glass evacuated collectors, S. Pethkar, M.G. Takwale, C. Agashe and V.G. Bhide 31 (1993) 109

### *Minority carriers*

- Excess minority carrier densities and transient short circuit currents in polycrystalline silicon solar cells, B. Ba, M. Kane, A. Fickou and G. Sissoko 31 (1993) 33
- Some aspects of the multi-interface structure for BSF solar cells, Z.T. Kuznicki 31 (1993) 383

### *Nickel compounds*

- A low cost metallization scheme for double sided buried contact silicon solar cells, A.U. Ebong, M. Taouk and S.R. Wenham 31 (1994) 499

### *Optical constants*

- Influence of the light interaction on the optical behaviour of a-Si:H solar cells, D. Minkov 31 (1993) 323

### *Optical properties*

- The effect of annealing on the optical and electrical properties of a-Si:H sputtered films, Y. Laaziz, A. Bennouna and E.L. Ameziane 31 (1993) 23

- The role of the optical properties of solids in solar direct absorption process, Ch. Sasse and G. Ingel 31 (1993) 61
- Light trapping and reflection control in solar cells using tilted crystallographic surface textures, P. Campbell, S.R. Wenham and M.A. Green 31 (1993) 133
- Optoelectrical and structural properties of evaporated indium oxide thin films, S. Naseem, M. Iqbal and K. Hussain 31 (1993) 155
- Transmission variation using scattering/transparent switching films, H.R. Wilson and W. Eck 31 (1993) 197
- Growth and characterization of tin oxide thin films prepared by reactive sputtering, M. Di Giulio, D. Manno, G. Micocci, R. Rella, P. Siciliano and A. Tepore 31 (1993) 235
- Bulk and surface light scattering from transparent silica aerogel, W.J. Platzer and M. Bergkvist 31 (1993) 243
- Some novel prospective polymer electrolytes containing potassium ion for electrochromic devices, with preliminary tests on Prussian blue/ $K_xWO_3$  electrochromic windows, J.-G. Béraud and D. Deroo 31 (1993) 263
- A chemical method for preparation of cobalt oxide thin films, A.J. Varkey and A.F. Fort 31 (1993) 277
- Influence of Ge content on vibrational and optical properties of  $\alpha$ - $Si_{1-x}Ge_x$ :H thin films, D. Dimova-Malinovska and L. Nedialkova 31 (1993) 283
- Characterization of evaporated nickel oxide and its application to electrochromic glazing, J. Nagai 31 (1993) 291

### *p-n homojunctions*

- Luminescent characterization of contactless AlGaAs/GaAs heterostructure for solar cells and diodes, V.D. Rumyantsev and J.A. Rodriguez 31 (1993) 357
- Silicon films incorporating a drift-field grown by liquid phase epitaxy for solar cell applications, R. Bergmann, S. Robinson, Z. Shi and J. Kurianski 31 (1993) 447
- Thin film photodetectors grown epitaxially on silicon, P. Sutter, U. Kafader and H. von Känel 31 (1994) 541

### *Photochemistry*

- Charge separation in J-aggregates of covalently linked cyanine dye-viologen systems, C. Königstein and R. Bauer 31 (1994) 535

### *Photoconductivity*

- Effect of power and pressure on the properties of hydrogenated amorphous silicon films prepared by DC glow discharge, T. Seth, P.N. Dixit, O.S. Panwar and R. Bhattacharyya 31 (1993) 215

### *Photocurrent*

- Excess minority carrier densities and transient short circuit currents in polycrystalline silicon solar cells, B. Ba, M. Kane, A. Fickou and G. Sissoko 31 (1993) 33
- Luminescent characterization of contactless AlGaAs/GaAs heterostructure for solar cells and diodes, V.D. Rumyantsev and J.A. Rodriguez 31 (1993) 357
- Preparation, morphology and physical properties of microrelief InP surfaces, N.L. Dmitruk, T.R. Barlas and E.V. Basiuk 31 (1993) 371

### *Photoelectrochemical cells*

- Preparation of thin films of polycrystalline CdSe for solar energy conversion. I. A literature survey, T. Gruszecki and B. Holmström 31 (1993) 227

- Verification of high efficiencies for the Grätzel-cell. A 7% efficient solar cell based on dye-sensitized colloidal  $\text{TiO}_2$  films, A. Hagfeldt, B. Didriksson, T. Palmqvist, H. Lindström, S. Södergren, H. Rensmo and S.-E. Lindquist 31 (1994) 481
- Spectral sensitization of titanium dioxide electrodes via Ru-based chalcogenides thin layers, N. Alonso-Vante 31 (1994) 509
- Photoelectrodes, general photoelectrodes*
- Photoelectrochemical parameters of In-doped thin CdSe layers, K. Tsvetkova and K. Kochev 31 (1993) 429
- Photoelectrodes, metal chalcogenides*
- Transition-metal-centered photoinduced electron transfer: A key to photoelectrochemical stability and reactivity, H. Tributsch 31 (1994) 548
- Photoelectrodes,  $\text{TiO}_2$  and titanates*
- Spectral sensitization of titanium dioxide electrodes via Ru-based chalcogenides thin layers, N. Alonso-Vante 31 (1994) 509
- Photoluminescence*
- Luminescent characterization of contactless AlGaAs/GaAs heterostructure for solar cells and diodes, V.D. Rumyantsev and J.A. Rodriguez 31 (1993) 357
- Photosynthesis*
- The endoreversible theory of solar energy conversion: a tutorial, A. De Vos 31 (1993) 75
- Photovoltaic effects*
- Measurement of Urbach edge and midgap states in amorphous silicon p-i-n devices, V. Dalal, R. Knox and B. Moradi 31 (1993) 349
- Photovoltaics, general properties and types*
- Solar PV lanterns with centralized charging system - a new concept for rural lighting in the developing nations, K. Muhopadhyay, B. Sensarma and H. Saha 31 (1993) 437
- Reliability of photovoltaic modules I. Theoretical considerations, N.A. Al-Rawi, M.M. Al-Kaisi and D. Asfer 31 (1994) 455
- Reliability of photovoltaic modules II. Interconnection and bypass diodes effects, N.A. Al-Rawi, M.M. Al-Kaisi and D.J. Asfer 31 (1994) 469
- Plasma CVD coatings*
- Effect of power and pressure on the properties of hydrogenated amorphous silicon films prepared by DC glow discharge, T. Seth, P.N. Dixit, O.S. Panwar and R. Bhattacharyya 31 (1993) 215



*Polycrystalline silicon*

- Excess minority carrier densities and transient short circuit currents in polycrystalline silicon solar cells, B. Ba, M. Kane, A. Fickou and G. Sissoko 31 (1993) 33
- Investigation of polycrystalline silicon deposition on glass substrates, Z. Shi, T.L. Young, G.F. Zheng and M.A. Green 31 (1993) 51

*Polymers*

- Transmission variation using scattering/transparent switching films, H.R. Wilson and W. Eck 31 (1993) 197
- Some novel prospective polymer electrolytes containing potassium ion for electrochromic devices, with preliminary tests on Prussian blue/ $K_xWO_3$  electrochromic windows, J.-G. Béraud and D. Deroo 31 (1993) 263

*Reflectivity*

- 7% stable efficiency large area a-Si:H solar modules by module design improvement, R. van den Berg, H. Calwer, P. Marklstorfer, R. Meckes, F.W. Schulze, K.-D. Ufert and H. Vogt 31 (1993) 253
- Preparation, morphology and physical properties of microrelief InP surfaces, N.L. Dmitruk, T.R. Barlas and E.V. Basiuk 31 (1993) 371

*Refractive index*

- The effect of annealing on the optical and electrical properties of a-Si:H sputtered films, Y. Laaziz, A. Bennouna and E.L. Ameziane 31 (1993) 23

*Reliability*

- Reliability of photovoltaic modules I. Theoretical considerations, N.A. Al-Rawi, M.M. Al-Kaisi and D. Asfer 31 (1994) 455
- Reliability of photovoltaic modules II. Interconnection and bypass diodes effects, N.A. Al-Rawi, M.M. Al-Kaisi and D.J. Asfer 31 (1994) 469

*Schottky barriers*

- Preparation, morphology and physical properties of microrelief InP surfaces, N.L. Dmitruk, T.R. Barlas and E.V. Basiuk 31 (1993) 371

*Selective absorbers, cobalt*

- Cobalt oxide selective coatings for all glass evacuated collectors, S. Pethkar, M.G. Takwale, C. Agashe and V.G. Bhide 31 (1993) 109

*Semiconductor device models*

- Some aspects of the multi-interface structure for BSF solar cells, Z.T. Kuznicki 31 (1993) 383

*Semiconductor device testing*

- Luminescent characterization of contactless AlGaAs/GaAs heterostructure for solar cells and diodes, V.D. Romyantsev and J.A. Rodriguez 31 (1993) 357

*Semiconductor doping*

- Silicon films incorporating a drift-field grown by liquid phase epitaxy for solar cell applications, R. Bergmann, S. Robinson, Z. Shi and J. Kurianski 31 (1993) 447

*Semiconductor growth*

- Silicon films incorporating a drift-field grown by liquid phase epitaxy for solar cell applications, R. Bergmann, S. Robinson, Z. Shi and J. Kurianski 31 (1993) 447

*Semiconductor junctions*

- Some aspects of the multi-interface structure for BSF solar cells, Z.T. Kuznicki 31 (1993) 383

*Semiconductor thin films*

- Physical and chemical analysis of RF sputtered Cu/Te/CdTe structures, F. Debbagh, H. Mohssine, E.L. Ameziane, M. Azizan and M. Brunel 31 (1993) 1
- Investigation of the electrodeposition process in the Cu-In-Se system, M.G. Ganchev and K.D. Kochev 31 (1993) 163
- Preparation of thin films of polycrystalline CdSe for solar energy conversion. I. A literature survey, T. Gruszecki and B. Holmström 31 (1993) 227
- Photoelectrochemical parameters of In-doped thin CdSe layers, K. Tsvetkova and K. Kochev 31 (1993) 429
- Properties of RF sputtered zinc oxide based thin films made from different targets, M.A. Martínez, J. Herrero and M.T. Gutiérrez 31 (1994) 489
- Thin film photodetectors grown epitaxially on silicon, P. Sutter, U. Kafader and H. von Känel 31 (1994) 541

*Sensitization*

- Verification of high efficiencies for the Grätzel-cell. A 7% efficient solar cell based on dye-sensitized colloidal TiO<sub>2</sub> films, A. Hagfeldt, B. Didriksson, T. Palmqvist, H. Lindström, S. Södergren, H. Rensmo and S.-E. Lindquist 31 (1994) 481
- Spectral sensitization of titanium dioxide electrodes via Ru-based chalcogenides thin layers, N. Alonso-Vante 31 (1994) 509

*Short-circuit currents*

- Excess minority carrier densities and transient short circuit currents in polycrystalline silicon solar cells, B. Ba, M. Kane, A. Fickou and G. Sissoko 31 (1993) 33

*Silicon*

- Silicon films incorporating a drift-field grown by liquid phase epitaxy for solar cell applications, R. Bergmann, S. Robinson, Z. Shi and J. Kurianski 31 (1993) 447
- A low cost metallization scheme for double sided buried contact silicon solar cells, A.U. Ebong, M. Taouk and S.R. Wenham 31 (1994) 499

*Silicon compounds*

- Structural and chemical analysis of C:H<sub>2</sub>O/Si:H<sub>2</sub>O multilayers deposited by reactive RF sputtering, E. Ech-chamikh, M. Azizan, E.L. Ameziane, A. Ben-nouna, M. Brunel and T.T.A. Nguyen 31 (1993) 187

*Solar cell arrays*

- Solar PV lanterns with centralized charging system – a new concept for rural lighting in the developing nations, K. Muhopadhyay, B. Sensarma and H. Saha 31 (1993) 437
- Reliability of photovoltaic modules I. Theoretical considerations, N.A. Al-Rawi, M.M. Al-Kaisi and D. Asfer 31 (1994) 455
- Reliability of photovoltaic modules II. Interconnection and bypass diodes effects, N.A. Al-Rawi, M.M. Al-Kaisi and D.J. Asfer 31 (1994) 469

*Solar cells*

- The endoreversible theory of solar energy conversion: a tutorial, A. De Vos 31 (1993) 75
- Through-Hole Contact (THC) integrated-type a-Si solar cell submodule by a new laser photo-etching method, H. Nishiwaki, S. Sakai, S. Matsumi, S. Tsuda, S. Kiyama, Y. Yamamoto, H. Hosokawa, R. Suzuki, M. Osumi, M. Ohnishi and S. Nakano 31 (1993) 97
- On the optical design of thin film amorphous silicon solar cells, F. Zhu and J. Singh 31 (1993) 119
- Light trapping and reflection control in solar cells using tilted crystallographic surface textures, P. Campbell, S.R. Wenham and M.A. Green 31 (1993) 133
- Measurement of Urbach edge and midgap states in amorphous silicon p-i-n devices, V. Dalal, R. Knox and B. Moradi 31 (1993) 349
- Luminescent characterization of contactless AlGaAs/GaAs heterostructure for solar cells and diodes, V.D. Romyantsev and J.A. Rodriguez 31 (1993) 357
- Some aspects of the multi-interface structure for BSF solar cells, Z.T. Kuznicki 31 (1993) 383
- Verification of high efficiencies for the Grätzel-cell. A 7% efficient solar cell based on dye-sensitized colloidal TiO<sub>2</sub> films, A. Hagfeldt, B. Didriksson, T. Palmqvist, H. Lindström, S. Södergren, H. Rensmo and S.-E. Lindquist 31 (1994) 481
- A low cost metallization scheme for double sided buried contact silicon solar cells, A.U. Ebong, M. Taouk and S.R. Wenham 31 (1994) 499
- Transition-metal-centered photoinduced electron transfer: A key to photoelectrochemical stability and reactivity, H. Tributsch 31 (1994) 548

*Solar collectors*

- Bulk and surface light scattering from transparent silica aerogel, W.J. Platzer and M. Bergkvist 31 (1993) 243

*Solar heating*

- Surface modification of TiN hard coatings with concentrated solar energy, M. Franck, B. Blanpain, B.C. Oberländer, J.P. Celis and J.R. Roos 31 (1993) 401

*Spectral response*

- Influence of the light interaction on the optical behaviour of a-Si:H solar cells, D. Minkov 31 (1993) 323

*Spray coatings*

- Cobalt oxide selective coatings for all glass evacuated collectors, S. Pethkar, M.G. Takwale, C. Agashe and V.G. Bhide 31 (1993) 109

*Sputtered coatings*

- Growth and characterization of tin oxide thin films prepared by reactive sputtering, M. Di Giulio, D. Manno, G. Micocci, R. Rella, P. Siciliano and A. Tepore 31 (1993) 235
- Properties of RF sputtered zinc oxide based thin films made from different targets, M.A. Martínez, J. Herrero and M.T. Gutiérrez 31 (1994) 489

*Stoichiometry*

- Surface modification of TiN hard coatings with concentrated solar energy, M. Franck, B. Blanpain, B.C. Oberländer, J.P. Celis and J.R. Roos 31 (1993) 401

*Structural properties*

- The effect of annealing on the optical and electrical properties of a-Si:H sputtered films, Y. Laaziz, A. Bennouna and E.L. Amezziane 31 (1993) 23
- Influence of Ge content on vibrational and optical properties of  $\alpha$ -Si<sub>1-x</sub>Ge<sub>x</sub>:H thin films, D. Dimova-Malinovska and L. Nedialkova 31 (1993) 283
- a-Si:H thin film microstructure influenced by HOMOCVD-process parameters, A. Toneva, Bl. Pantchev and P. Danesh 31 (1993) 301
- Surface modification of TiN hard coatings with concentrated solar energy, M. Franck, B. Blanpain, B.C. Oberländer, J.P. Celis and J.R. Roos 31 (1993) 401
- Photoelectrochemical parameters of In-doped thin CdSe layers, K. Tsvetkova and K. Kochev 31 (1993) 429

*Textured surfaces*

- Preparation, morphology and physical properties of microrelief InP surfaces, N.L. Dmitruk, T.R. Barlas and E.V. Basiuk 31 (1993) 371

*Thermal annealing*

- Growth and characterization of tin oxide thin films prepared by reactive sputtering, M. Di Giulio, D. Manno, G. Micocci, R. Rella, P. Siciliano and A. Tepore 31 (1993) 235

*Thin film solar cells*

- On the optical design of thin film amorphous silicon solar cells, F. Zhu and J. Singh 31 (1993) 119
- The optimum design for high efficiency a-Si/a-Si/a-SiGe tandem solar cells, Z. Xu, X. Zou, X. Zhou, B. Zhao, C. Wang and Y. Hamakawa 31 (1993) 307
- Properties of RF sputtered zinc oxide based thin films made from different targets, M.A. Martínez, J. Herrero and M.T. Gutiérrez 31 (1994) 489

*Thin films*

- Review of solid state electrochromic coatings produced using sol-gel techniques, A. Agrawal, J.P. Cronin and R. Zhang 31 (1993) 9
- Investigation of polycrystalline silicon deposition on glass substrates, Z. Shi, T.L. Young, G.F. Zheng and M.A. Green 31 (1993) 51

- Transmission variation using scattering/transparent switching films, H.R. Wilson and W. Eck 31 (1993) 197
- Growth and characterization of tin oxide thin films prepared by reactive sputtering, M. Di Giulio, D. Manno, G. Micocci, R. Rella, P. Siciliano and A. Tepore 31 (1993) 235
- Some novel prospective polymer electrolytes containing potassium ion for electrochromic devices, with preliminary tests on Prussian blue/ $K_xWO_3$  electrochromic windows, J.-G. Béraud and D. Deroo 31 (1993) 263
- A chemical method for preparation of cobalt oxide thin films, A.J. Varkey and A.F. Fort 31 (1993) 277
- Spectral sensitization of titanium dioxide electrodes via Ru-based chalcogenides thin layers, N. Alonso-Vante 31 (1994) 509

### *Tin oxide*

- Growth and characterization of tin oxide thin films prepared by reactive sputtering, M. Di Giulio, D. Manno, G. Micocci, R. Rella, P. Siciliano and A. Tepore 31 (1993) 235

### *Titanium dioxide*

- Surface modification of TiN hard coatings with concentrated solar energy, M. Franck, B. Blanpain, B.C. Oberländer, J.P. Celis and J.R. Roos 31 (1993) 401
- Electrochromic mixed  $WO_3$ - $TiO_2$  thin films produced by sputtering and the sol-gel technique: a comparison, J. Götttsche, A. Hinsch and V. Wittwer 31 (1993) 415
- Verification of high efficiencies for the Grätzel-cell. A 7% efficient solar cell based on dye-sensitized colloidal  $TiO_2$  films, A. Hagfeldt, B. Didriksson, T. Palmqvist, H. Lindström, S. Södergren, H. Rensmo and S.-E. Lindquist 31 (1994) 481

### *Titanium nitrides and carbides*

- Surface modification of TiN hard coatings with concentrated solar energy, M. Franck, B. Blanpain, B.C. Oberländer, J.P. Celis and J.R. Roos 31 (1993) 401

### *Transparent conductors*

- Through-Hole Contact (THC) integrated-type a-Si solar cell submodule by a new laser photo-etching method, H. Nishiwaki, S. Sakai, S. Matsumi, S. Tsuda, S. Kiyama, Y. Yamamoto, H. Hosokawa, R. Suzuki, M. Osumi, M. Ohnishi and S. Nakano 31 (1993) 97
- Properties of RF sputtered zinc oxide based thin films made from different targets, M.A. Martínez, J. Herrero and M.T. Gutiérrez 31 (1994) 489

### *Tungsten compounds, $WSe_2$*

- Electrochromic mixed  $WO_3$ - $TiO_2$  thin films produced by sputtering and the sol-gel technique: a comparison, J. Götttsche, A. Hinsch and V. Wittwer 31 (1993) 415

### *X-ray diffraction*

- Physical and chemical analysis of RF sputtered Cu/Te/CdTe structures, F. Debbagh, H. Mohssine, E.L. Ameziane, M. Azizan and M. Brunel 31 (1993) 1

- Structural and chemical analysis of C:H<sub>2</sub>O/Si:H<sub>2</sub>O multilayers deposited by reactive RF sputtering, E. Ech-chamikh, M. Azizan, E.L. Ameziane, A. Ben-nouna, M. Brunel and T.T.A. Nguyen 31 (1993) 187

*X-ray photoelectron spectra*

- Structural and chemical analysis of C:H<sub>2</sub>O/Si:H<sub>2</sub>O multilayers deposited by reactive RF sputtering, E. Ech-chamikh, M. Azizan, E.L. Ameziane, A. Ben-nouna, M. Brunel and T.T.A. Nguyen 31 (1993) 187

*Zinc oxide, ZnO*

- Properties of RF sputtered zinc oxide based thin films made from different targets, M.A. Martínez, J. Herrero and M.T. Gutiérrez 31 (1994) 489

